

## ERRATA SLIP

### Australian and New Zealand Water Quality Guidelines for Fresh and Marine Water Quality 2000

Page 3.2-11, Table 3.2.2, Code 1A B, Suitable biological indicator column

- Change “1B Biomarkers” to “1B Bioaccumulators and biomarkers”

Page 3.2-11, Table 3.2.2, Code 2A B, Protocol column

- Change “2B(i), (ii)” to “2B”

Page 3.2-11, Table 3.2.2, Code 9, Ecosystem type column

- Change “S, W” to “S, W, L, M”

**Section 3.3**, all tables and text

- Change all references to  $\text{NH}_4^+$  to Total Ammonia N.

Page 3.3-2, Figure 3.3.1, Footnote “a”

- Change to “Triggers already based on local biological effects data would not be expected to be modified further in the decisions trees (see section 3.1.5)”

Page 3.3-10, Table 3.3.2, Lowland river row, pH upper limit column

- Change “8.0” to “8.0<sup>m</sup>”

Page 3.3-20, Section 3.3.2.8, Margin cross reference “b”

- Change to “Sections 3.3.3.1 & 3.3.3.2 and case study 4 in section 8.2.3.”

Page 3.3-20, Section 3.3.2.8, Margin cross reference “c”

- Change to “Section 3.3.3.3 & case study 2 in Section 3.3.3”

Page 3.4-5, Table 3.4.1, Ammonia

- Change “Ammonia” to “Total Ammonia N”

Page 3.4-5: Table 3.4.1 Chromium (CrIII) Trigger values for Marine water

- Change the trigger values in the table to 8; 27; 50; 90 for the 99; 95; 90 and 85% levels of protection respectively.

Page 3.4-5, Table 3.4.1, Nitrate

- Delete all trigger values and replace with “Under review”

Page 3.4-8: Table 3.4.1 Dibutylphthalate trigger values for Freshwater

- Change the trigger values in the table to 10; 26 (no change for 95%); 40; 65 for the 99; 95; 90 and 85% levels of protection respectively.

Page 3.4-14, Figure 3.4.1, Footnote “a”

- Change to “Triggers already based on local biological effects data would not be expected to be modified further in the decisions trees (see section 3.1.5)”

Page 3.4-15, third paragraph, last sentence

- Change “compare the median value with the guideline” to “compare the 95<sup>th</sup> percentile value with the guideline”

Page 3.4-16, Second last paragraph, first sentence

- Add the following to the end of this sentence “and the median of any test data would be compared against this 80<sup>th</sup> percentile trigger.”

Page 3.5-6, Figure 3.5.1, Footnote “a”

- Change to “Triggers already based on local biological effects data would not be expected to be modified further in the decisions trees (see section 3.1.5)”

Page 4.2-14, Table 4.2.12, footnote “b”

- Change to “Guidelines have not been set for herbicides where specific residue limits are not provided, except for a general limit of 0.1 mg/L for all herbicides in NSW”.

Page 4.3-5: Table 4.3.2

- Change the trigger value for copper (sheep) to 0.5 mg/L.

Page 4.4-8, Table 4.4.3, Fluoride value for freshwater production

- Change “<20” to “<200”

Page 5-9, Table 5.2.3

- Change the guideline value for oxygen to > 6 500 (> 80% saturation).

Page A-9, Appendix 1 Acronyms and glossary of terms, EC<sub>50</sub> (medium effective concentration)

- Change to “The concentration of material in water that is estimated to be effective in producing some response in 50% of the test organisms. The LC<sub>50</sub> is usually expressed as a time-dependent value (eg 24-hour or 96-hour LC<sub>50</sub>).”

June 2005